


WOMEN IN CONSTRUCTION SEMINAR 2013

JOHANNESBURG, 25 JULY 2013

**HEALTH, SAFETY, ERGONOMICS, WELFARE, AND
DIVERSITY**

**PROFESSOR JOHN SMALLWOOD
DEPARTMENT OF CONSTRUCTION MANAGEMENT, NMMU
john.smallwood@nmmu.ac.za**

Why is construction so backward?



(Woudhuysen and Abley, 2004)

Introduction (1)

Ergonomics, derived from the Greek ergon, ‘to work’, and nomos, ‘study of’, is literally the study of work, or the work system, including the worker, his or her tools, and his or her workplace (La Dou, 1994) - “it is an applied science concerned with people’s characteristics that need to be considered in designing and arranging things that they use in order that people and things will interact most effectively and safely.”

Introduction (2)

- Health is defined as “The degree of physiological and psychological well being of an individual.” and safety as both “The state of being safe: freedom from injury or danger.” and “The quality of insuring against hurt, injury, danger or risk.” (Taylor, Easter and Hegney, 1998)
- Construction, by its very nature, is a problem in ergonomics as it requires work above shoulder level and below knee height. Materials may also be heavy and / or inconveniently sized and shaped, thus presenting manual materials-handling problems (Schneider and Susi, 1994)
- Numerous construction tasks pose significant ergonomic & H&S risks to workers (Gibbons and Hecker, 1999)

Introduction (3)




Figure 1: Construction H&S – the macro environment (Smallwood, 1995)



Introduction (4)



Pretoria North Shopping Centre slab collapse, October, 1996 (Davis, 1996)



Introduction (5)



Investec Office Complex scaffolding collapse, Sandton, August, 1997 (Prinsloo, 1997)

Introduction (6)



Investec Office Complex scaffolding collapse, Sandton, August, 1997 (Prinsloo, 1997)




Introduction (7)



Sombre ... workers survey the scene yesterday at the Investec building where they say heavy marble tiles caused an overload.

Investec Office Complex scaffolding collapse, Sandton, August, 1997 (Nesbitt, 1997)

Introduction (8)



Injaka Bridge collapse, Mpumalanga, July, 1998 (Travers,1998)

Introduction (9)

Wall of death



Tragic recovery...The body of the first construction worker removed from a mountain of soil that buried him while working with a jackhammer last week. Chris Fey

Wall (earth) collapse, Randburg, February, 1999 (Frey, 1999)



Introduction (10)



Suspended platform (scaffold) collapse, Hillbrow, February, 2001 (Safodien, 2001)



Nelson Mandela
Metropolitan
University

for tomorrow

Respect for people (Lack of) (1)



Contents of portable toilet, Humansdorp (Pierce-Jones, 2006)

Respect for people (Lack of) (2)



Contents of portable toilet, SEP (Smallwood, 2007)



Nelson Mandela
Metropolitan
University

for tomorrow

Respect for people (1)



**Workers change room, shower, and lockers, Max 4 project, Lund, Sweden
(Smallwood, August 2012)**



Nelson Mandela
Metropolitan
University

for tomorrow

Respect for people (2)



Workers' mess area, Max 4 project, Lund, Sweden (Smallwood, August 2012)



Nature of ergonomic problems

Problem	GC*		Worker*		Worker**		BPGC***		Mean	
	II	Rank	II	Rank	II	Rank	II	Rank	II	Rank
Repetitive movements	3.29	1	3.56	1	2.97	3	3.78	1	3.40	1
Climbing and descending	2.88	2	3.01	4	3.23	1	3.56	2	3.17	2
Handling heavy materials	2.63	4=	2.68	10=	3.00	2	3.44	3	2.94	3
Use of body force	2.80	3	2.82	8	2.77	5	3.00	9	2.85	4
Exposure to noise	2.53	7	2.93	6	2.65	6	3.11	6=	2.81	5
Bending or twisting the back	1.96	11	3.47	2	2.38	7	3.22	4=	2.76	6
Reaching overhead	2.61	6	2.99	5	2.00	13	3.11	6=	2.68	7
Reaching away from the body	2.41	8	3.19	3	2.03	12	2.63	12	2.57	8
Working in awkward positions	1.70	12	2.85	7	2.30	9	3.22	4=	2.52	9
Handling heavy equipment	2.03	10	2.17	13	2.87	4	2.78	10	2.46	10
Working in hot conditions	2.29	9	2.68	10=	2.15	10	2.33	13	2.36	11
Vibrating tools and equipment	2.63	4=	1.43	16	1.96	14	3.11	6=	2.28	12
Working in cramped positions	1.46	15	2.48	12	2.13	11	2.67	11	2.19	13
Staying in the same position for long periods	1.29	17	2.76	9	2.30	8	2.11	14	2.12	14
Working in humid conditions	1.60	13	1.53	15	1.66	17	1.89	15	1.67	15
Working in cold conditions	1.38	16	1.80	14	1.85	15	1.22	17	1.56	16
Working in wet conditions	1.57	14	1.21	17	1.70	16	1.67	16	1.54	17
Working while injured or hurt	0.19	18	0.84	18	0.48	18	0.44	18	0.49	18

Table 1: Frequency of ergonomic problems encountered in construction according to management and workers (adapted from Smallwood, 1997*; Smallwood, Deacon and Venter, 2000**; Smallwood, 2002***) (II = 0-4).

Improving construction ergonomics (1)

Aspect	Response (%)						MS	Rank
	Unsure	Minor..... Major						
		1	2	3	4	5		
Contractor planning	0.0	0.0	0.0	12.1	21.2	66.7	4.55	1=
Safe working procedures	0.0	0.0	0.0	12.1	21.2	66.7	4.55	1=
Constructability (general)	3.0	0.0	0.0	9.1	27.3	60.6	4.53	3
Awareness	0.0	0.0	0.0	9.1	30.3	60.6	4.52	4
Mechanisation	0.0	0.0	0.0	12.1	30.3	57.6	4.45	5
Workshops on site	0.0	0.0	0.0	12.1	33.3	54.5	4.42	6
Prefabrication	3.0	0.0	3.0	21.2	15.2	57.6	4.31	7
Design of equipment (construction)	0.0	3.0	0.0	12.1	33.3	51.5	4.30	8
Design of tools	0.0	6.1	0.0	12.1	24.2	57.6	4.27	9
General design	3.0	3.0	3.0	6.1	42.4	42.4	4.22	10
Reengineering	3.0	0.0	0.0	15.2	48.5	33.3	4.19	11
Specification	3.0	6.1	0.0	12.1	39.4	39.4	4.09	12
Details	3.0	6.1	3.0	9.1	42.4	36.4	4.03	13

Table 2: Extent to which aspects could contribute to an improvement in construction ergonomics (Smallwood, 2006a) (MS = 1-5).

Improving construction ergonomics (2)

Aspect	Management		Workers		Mean	
	Yes (%)	Rank	Yes (%)	Rank	Yes (%)	Rank
Materials handling	78.8	3=	76.3	1	77.6	1
Working platforms	81.7	2	70.5	3	76.1	2
Housekeeping	78.8	3=	70.8	2	74.8	3
Means of ascending / Descending	83.8	1	65.6	5=	74.7	4
Materials storage	74.1	5	69.7	4	71.9	5
Walkways	71.8	6	65.6	5=	68.7	6
Mechanisation	64.9	7	50.4	7	57.7	7
Circulation paths	53.2	8	41.3	8	47.3	8
Circulation roads	51.3	9	37.2	9	44.3	9

Table 3: Construction ergonomic related aspects which require attention according to management and workers (adapted from Smallwood, 1997).

Improving construction ergonomics (3)



Plank and hollow-block composite slab, Plettenberg Bay (Hamp-Adams, 1994)

Improving construction ergonomics (4)



Pre-cast pre-stressed hollow core slab section (SA Builder Bouer, 2004a)

Improving construction ergonomics (5)



Pre-cast pre-stressed hollow core slab section (SA Builder Bouer, 2004b)



Nelson Mandela
Metropolitan
University

for tomorrow

Improving construction ergonomics (6)



Precast concrete stair flights, Port Elizabeth (Smallwood)



Nelson Mandela
Metropolitan
University

for tomorrow

Improving construction ergonomics (7)



Precast concrete stair flights, Port Elizabeth (Smallwood)

Factors which affect wellness and performance on site

A survey of 32 workers (Smallwood, 2006b) – agreement that:

- **Overall project performance is affected by: site offices; entrance; housekeeping; major plant; organisation of work area; location of site, and site coverage of building / space for site establishment**
- **Wellness of people is affected by: ablutions; materials store; noise; major plant; type of building; lighting levels; temperature; location of site; housekeeping; organisation of work area; height of building; circulation paths; type of site hoarding, and site coverage of building / space for site establishment**

Research 1 – Method and sample stratum

- Objectives of the study being to determine the:
 - Frequency at which ergonomics problems are encountered
 - Suitability of various aspects which affect performance and wellness on site
 - Extent to which various activities and interventions could contribute to an improvement in construction ergonomics
 - Gender differences relative to the abovementioned
- A GC's production workers – primarily carpenters:
 - 14 Female (53.8%)
 - 12 Male (46.2%)
- MS: 1.00 = Unsuitable / Minor and 5.00 = Suitable / Major



Research 1 – Findings (1)

Activities	Unsure	Minor..... Major					Mean score	Rank
		1	2	3	4	5		
Handling heavy materials	0.0	7.7	7.7	15.4	38.5	30.8	3.77	1
Handling heavy equipment	0.0	14.3	0.0	21.4	28.6	35.7	3.71	2
Exposure to noise	0.0	0.0	16.7	33.3	16.7	33.3	3.67	3
Working in cold conditions	7.1	7.1	14.3	14.3	21.4	35.7	3.43	4
Working in awkward positions	0.0	21.4	0.0	28.6	28.6	21.4	3.29	5
Working in humid conditions	7.1	0.0	21.4	35.7	7.1	28.6	3.21	6
Staying in the same position for long periods	0.0	21.4	7.1	35.7	14.3	21.4	3.07	7
Working in wet conditions	7.1	14.3	7.1	28.6	21.4	21.4	3.07	8
Working in hot conditions	7.1	14.3	7.1	28.6	28.6	14.3	3.00	9
Working while hurt or injured	14.3	14.3	7.1	14.3	21.4	28.6	3.00	10
Use of body force	7.1	14.3	21.4	21.4	7.1	28.6	2.93	11
Bending or twisting the back	0.0	21.4	21.4	14.3	35.7	7.1	2.86	12
Working in cramped positions	7.1	21.4	7.1	21.4	28.6	14.3	2.86	13
Vibrating tools and equipment	0.0	14.3	28.6	35.7	7.1	14.3	2.79	14
Repetitive movements	0.0	15.4	38.5	23.1	7.7	15.4	2.69	15
Climbing and descending	7.7	7.7	38.5	15.4	23.1	7.7	2.62	16
Reaching overhead	0.0	23.1	38.5	23.1	7.7	7.7	2.38	17
Reaching away from the body	7.1	35.7	21.4	14.3	21.4	0.0	2.07	18

Table 4: Extent to which activities constitute an ergonomics problem (Female) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (2)

Activities	Unsure	Minor..... Major					Mean score	Rank
		1	2	3	4	5		
Working while hurt or injured	0.0	16.7	16.7	8.3	16.7	41.7	3.50	1
Handling heavy materials	0.0	8.3	16.7	25.0	50.0	0.0	3.17	2
Exposure to noise	0.0	16.7	25.0	33.3	16.7	8.3	2.75	3
Handling heavy equipment	0.0	9.1	27.3	45.5	18.2	0.0	2.73	4
Working in wet conditions	0.0	16.7	16.7	50.0	16.7	0.0	2.67	5
Working in cramped positions	0.0	25.0	16.7	33.3	25.0	0.0	2.58	6
Working in awkward positions	0.0	25.0	25.0	25.0	16.7	8.3	2.58	7
Staying in the same position for long periods	0.0	33.3	16.7	8.3	41.7	0.0	2.58	8
Bending or twisting the back	0.0	25.0	25.0	33.3	16.7	0.0	2.42	9
Working in cold conditions	0.0	25.0	25.0	41.7	8.3	0.0	2.33	10
Working in hot conditions	0.0	25.0	33.3	33.3	0.0	8.3	2.33	11
Reaching overhead	0.0	25.0	33.3	33.3	8.3	0.0	2.25	12
Reaching away from the body	0.0	25.0	50.0	16.7	8.3	0.0	2.08	13
Working in humid conditions	0.0	33.3	33.3	25.0	8.3	0.0	2.08	14
Use of body force	8.3	33.3	16.7	33.3	0.0	8.3	2.08	15
Repetitive movements	0.0	41.7	25.0	25.0	8.3	0.0	2.00	16
Vibrating tools and equipment	0.0	50.0	25.0	8.3	8.3	8.3	2.00	17
Climbing and descending	0.0	54.5	9.1	18.2	18.2	0.0	2.00	18

Table 5: Extent to which activities constitute an ergonomics problem (Male) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (3)

Activities	Female		Male		Mean		Diff
	MS	Rank	MS	Rank	MS	Rank	
Working in humid conditions	3.21	6	2.08	14	2.65	11	1.13
Working in cold conditions	3.43	4	2.33	10	2.88	6	1.10
Handling heavy equipment	3.71	2	2.73	4	3.22	3	0.98
Exposure to noise	3.67	3	2.75	3	3.21	4	0.92
Use of body force	2.93	11	2.08	15	2.50	13	0.85
Vibrating tools and equipment	2.79	14	2.00	17	2.39	14	0.79
Working in awkward positions	3.29	5	2.58	7	2.93	5	0.71
Repetitive movements	2.69	15	2.00	16	2.35	15	0.69
Working in hot conditions	3.00	9	2.33	11	2.67	10	0.67
Climbing and descending	2.62	16	2.00	18	2.31	17	0.62
Handling heavy materials	3.77	1	3.17	2	3.47	1	0.60
Staying in the same position for long periods	3.07	7	2.58	8	2.83	8	0.49
Bending or twisting the back	2.86	12	2.42	9	2.64	12	0.44
Working in wet conditions	3.07	8	2.67	5	2.87	7	0.40
Working in cramped positions	2.86	13	2.58	6	2.72	9	0.28
Reaching overhead	2.38	17	2.25	12	2.32	16	0.13
Reaching away from the body	2.07	18	2.08	13	2.08	18	-0.01
Working while hurt or injured	3.00	10	3.50	1	3.25	2	-0.50

Table 6: Extent to which activities constitute an ergonomics problem (Comparison of female and male) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (4)

Aspect	Unsure	Unsuitable.....Suitable					Mean score	Rank
		1	2	3	4	5		
Attire (Work clothing)	0.0	0.0	0.0	15.4	23.1	61.5	4.46	1
Personal protective equipment (PPE)	0.0	0.0	0.0	21.4	28.6	50.0	4.29	2
Housekeeping	0.0	0.0	0.0	35.7	28.6	35.7	4.00	3
Plant	0.0	0.0	21.4	7.1	50.0	21.4	3.71	4
Equipment	0.0	0.0	7.7	38.5	30.8	23.1	3.69	5
Vertical access	7.7	7.7	0.0	23.1	23.1	38.5	3.62	6
Work / Access platforms	0.0	15.4	7.7	15.4	23.1	38.5	3.62	7
Organisation of work area	0.0	16.7	8.3	8.3	41.7	25.0	3.50	8
Site layout	7.1	14.3	0.0	35.7	7.1	35.7	3.29	9
Materials storage	0.0	14.3	14.3	14.3	50.0	7.1	3.21	10
Tools	14.3	0.0	7.1	28.6	35.7	14.3	3.14	11
Circulation paths	0.0	16.7	8.3	41.7	25.0	8.3	3.00	12
Toilet facilities	0.0	35.7	14.3	21.4	7.1	21.4	2.64	13
Lighting	0.0	23.1	30.8	15.4	23.1	7.7	2.62	14
Change room facilities	0.0	38.5	15.4	30.8	7.7	7.7	2.31	15
Canteen / Mess room	14.3	35.7	14.3	7.1	21.4	7.1	2.07	16
Wash facilities	7.7	53.8	7.7	15.4	7.7	7.7	1.85	17

Table 7: Suitability of various aspects (Female) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (5)

Aspect	Unsure	Unsuitable.....Suitable					Mean score	Rank
		1	2	3	4	5		
Personal protective equipment (PPE)	0.0	0.0	8.3	16.7	25.0	50.0	4.17	1
Attire (Work clothing)	0.0	0.0	8.3	25.0	25.0	41.7	4.00	2
Lighting	0.0	0.0	0.0	33.3	41.7	25.0	3.92	3
Materials storage	0.0	0.0	8.3	16.7	50.0	25.0	3.92	4
Housekeeping	0.0	0.0	8.3	25.0	41.7	25.0	3.83	5
Tools	0.0	0.0	16.7	8.3	50.0	25.0	3.83	6
Site layout	0.0	8.3	0.0	25.0	41.7	25.0	3.75	7
Organisation of work area	0.0	0.0	25.0	8.3	33.3	33.3	3.75	8
Equipment	0.0	0.0	8.3	25.0	58.3	8.3	3.67	9
Plant	0.0	0.0	16.7	16.7	58.3	8.3	3.58	10
Vertical access	0.0	0.0	18.2	18.2	54.5	9.1	3.55	11
Work / Access platforms	0.0	0.0	16.7	41.7	33.3	8.3	3.33	12
Circulation paths	0.0	0.0	0.0	75.0	25.0	0.0	3.25	13
Canteen / Mess room	0.0	25.0	25.0	8.3	25.0	16.7	2.83	14
Toilet facilities	0.0	18.2	36.4	9.1	18.2	18.2	2.82	15
Change room facilities	0.0	16.7	25.0	33.3	16.7	8.3	2.75	16
Wash facilities	8.3	25.0	25.0	25.0	8.3	8.3	2.25	17

Table 8: Suitability of various aspects (Male) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (6)

Aspect	Female		Male		Mean		Diff
	MS	Rank	MS	Rank	MS	Rank	
Lighting	2.62	14	3.92	3	3.27	12	-1.30
Canteen / Mess room	2.07	16	2.83	14	2.45	16	-0.76
Materials storage	3.21	10	3.92	4	3.57	8	-0.71
Tools	3.14	11	3.83	6	3.49	10	-0.69
Site layout	3.29	9	3.75	7	3.52	9	-0.46
Change room facilities	2.31	15	2.75	16	2.53	15	-0.44
Wash facilities	1.85	17	2.25	17	2.05	17	-0.40
Organisation of work area	3.50	8	3.75	8	3.63	6	-0.25
Circulation paths	3.00	12	3.25	13	3.13	13	-0.25
Toilet facilities	2.64	13	2.82	15	2.73	14	-0.18
Equipment	3.69	5	3.67	9	3.68	4	0.02
Vertical access	3.62	6	3.55	11	3.58	7	0.07
Personal protective equipment (PPE)	4.29	2	4.17	1	4.23	1	0.12
Plant	3.71	4	3.58	10	3.65	5	0.13
Housekeeping	4.00	3	3.83	5	3.92	3	0.17
Work / Access platforms	3.62	7	3.33	12	3.47	11	0.29
Attire (Work clothing)	4.46	1	4.00	2	4.23	2	0.46

Table 9: Suitability of various aspects (Comparison of female and male) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (7)

Activities	Unsure	Minor..... Major					Mean score	Rank
		1	2	3	4	5		
Mechanisation (use of machines)	14.3	0.0	0.0	21.4	21.4	42.9	4.25	1
Less manual handling (lifting and carrying)	0.0	0.0	0.0	28.6	35.7	35.7	4.07	2
Lighter materials (bending and lifting)	0.0	0.0	7.1	28.6	28.6	35.7	3.93	3
More help (extra hands)	7.1	0.0	7.1	42.9	21.4	21.4	3.62	4
Task rotation (shorter shifts)	14.3	7.1	0.0	35.7	21.4	21.4	3.58	5
Less climbing	0.0	7.1	14.3	28.6	28.6	21.4	3.43	6
Less walking	0.0	14.3	28.6	28.6	14.3	14.3	2.86	7

Table 10: Extent to which actions / interventions would make respondents' working life easier (Female) (Smallwood and Haupt, 2009) (MS = 1-5).



Research 1 – Findings (7)

Activities	Unsure	Minor..... Major					Mean score	Rank
		1	2	3	4	5		
Mechanisation (use of machines)	0.0	25.0	8.3	0.0	16.7	50.0	3.58	1
Lighter materials (bending and lifting)	0.0	25.0	0.0	16.7	16.7	41.7	3.50	2
Less manual handling (lifting and carrying)	0.0	33.3	0.0	25.0	25.0	16.7	2.92	3
More help (extra hands)	0.0	33.3	8.3	16.7	25.0	16.7	2.83	4
Less climbing	0.0	33.3	16.7	16.7	25.0	8.3	2.58	5
Task rotation (shorter shifts)	0.0	33.3	8.3	50.0	8.3	0.0	2.33	6
Less walking	0.0	33.3	33.3	8.3	25.0	0.0	2.25	7

Table 11: Extent to which actions / interventions would make respondents' working life easier (Male) (Smallwood and Haupt, 2009) (MS = 1-5).

Research 1 – Findings (8)

Actions / Interventions	Female		Male		Mean		Diff
	MS	Rank	MS	Rank	MS	Rank	
Task rotation (shorter shifts)	3.58	5	2.33	6	2.96	6	1.25
Less manual handling (lifting and carrying)	4.07	2	2.92	3	3.50	3	1.15
Less climbing	3.43	6	2.58	5	3.00	5	0.85
More help (extra hands)	3.62	4	2.83	4	3.22	4	0.79
Mechanisation (use of machines)	4.25	1	3.58	1	3.92	1	0.67
Less walking	2.86	7	2.25	7	2.55	7	0.61
Lighter materials (bending and lifting)	3.93	3	3.50	2	3.71	2	0.43

Table 12: Extent to which actions / interventions would make respondents' working life easier (Comparison of female and male) (Smallwood and Haupt, 2009) (MS = 1-5).

Research 2 – Method and sample stratum

- Objectives of the study being to determine the:
 - Participation of women in general
 - Their role
 - Their capacity
 - Their impact
 - Their potential contribution
 - Barriers to their participation
 - General and gender specific issues
 - Engendering of their participation
- Multi-stakeholder respondents attending a two-day seminar and a four-day programme:
 - South Africa – 37 No. (81.1% male and 18.9% female)
 - Tanzania – 23 / 24 No. (82.6% male and 17.4% female)
- MS: 1.00 = Strongly disagree and 5.00 = Strongly agree

Research 2 – Findings (1)

Statement	Mean score		
	South Africa	Tanzania	Mean
Women have a role to play in construction	4.31	4.27	4.30
Increased participation by women will contribute to improving the image of construction	4.14	4.16	4.15
Women are likely to be sexually harassed on site	3.90	4.09	4.00
Women are not respected to the same extent men are	4.07	3.70	3.89
Current welfare facilities for women are inadequate	3.74	3.90	3.82
Women have 'special' personal hygiene issues / requirements	3.53	3.95	3.74
Some construction materials present a manual materials handling problem to women	3.35	3.71	3.53
Mechanisation of the construction process will promote participation by women	3.55	3.50	3.53
Women are less likely to accept unsafe conditions than men	3.52	3.50	3.51
Older (> 40 years) women are less suited to the physical construction process than men of the same age	3.13	3.70	3.42
Women are not as physically capable as men	3.07	3.48	3.28

Table 13: Comparison of 'overall' South African and Tanzanian degree of concurrence (English, Haupt, and Smallwood, 2006) (MS = 1-5) (Part A).

Research 2 – Findings (2)

Statement	Mean score		
	South Africa	Tanzania	Mean
Some construction materials present a manual materials handling problem to men	3.03	3.38	3.21
Women are less likely to accept inadequate welfare facilities than men	3.13	3.29	3.21
Appropriate work attire is not readily available for women	2.69	3.32	3.01
Women are as physically capable as men	3.07	2.74	2.91
Current provision for vertical movement (access) on site is inappropriate for women	2.32	3.43	2.88
Women are less likely to be willing to work in extreme temperatures than men	2.33	3.20	2.77
Ultra violet radiation poses more of a threat to women than to men	2.71	2.60	2.66
Women are more suited to administrative than production functions on site	1.89	3.17	2.53
Generally personal protective equipment (PPE) is not suited to women	2.43	2.45	2.44
Transport to and from, and between sites is inappropriate for women	2.29	2.57	2.43
Women are more likely to be absent from work than men	1.88	2.90	2.39

Table 13: Comparison of 'overall' South African and Tanzanian degree of concurrence (English, Haupt, and Smallwood, 2006) (MS = 1-5) (Part B).

Research 3 – Method and sample stratum

- **Objectives of the study being to determine the:**
 - Perceptions relative to women in construction
 - Perceived competencies and competence of women in construction
 - Challenges faced by women in construction
 - Representivity of women in construction
- **Sample stratum:**
 - 109 General contractor (GC) members of the East Cape Master Builders Association (ECMBA)
 - Contacted telephonically – 56 willing to participate
 - 11 responded to a self-administered survey
 - Follow up phone calls
 - 19.6% response rate
 - 100% male respondents
- **MS: 1.00 = Strongly disagree and 5.00 = Strongly agree**

Research 3 – Findings (1)

Agherdien and Smallwood (2013):

- **Employment:**
 - **> 50% employed > 12 < 35 employees**
 - **Minority indicated ≤ 12 employees**
 - **Only one respondent indicated 100 employees.**
- **Women in employment:**
 - **< 50% employed > 1 < 4 women**
 - **The majority employed no women**
 - **One employed more than 15 women**
 - **< 50% employed women in management positions, which varies between > 1 < 4 women**
 - **> 50% no women in management positions**

Research 3 - Findings (2)

Perceptions relative to women in construction:

- **81.8% - Construction is still regarded largely as a male domain**
- **54.6% - Women are not taken seriously as professionals in construction**
- **Extent to which four factors affected the appointment of women in leadership positions: society (4.00) was ranked first, followed by tradition (3.80), organisation culture (3.70), and sexist attitudes (3.60)**
- **72.7% do not believe that construction should be male-dominated because it is 'rough and tough'**
- **ITO extent 'women in managerial positions are more demanding than their male counterparts': MS = 3.27**

Research 3 - Findings (3)

- **90.9% - women have the confidence to pursue and motivate themselves in the construction industry knowing that they are able to do the job, and do it well**

Research 3 - Findings (4)

Perceived competencies and competence of women in construction:

- **Extent to which six factors affect the core competencies of women in construction: commitment (3.73); dedication (3.73); responsibility (3.73); acknowledgement (3.64); confidence (3.64), and self-promotion (3.28)**
- **81.8% - women are prepared to work harder in order to be successful if given a chance to prove themselves**
- **Respondents disagree ‘women cannot secure top jobs or successfully assume management roles due to factors such as actual talent, ability, and skills’: MS = 2.45**
- **72.7% - women seem to do well in situations where they need to manage different projects all at once**

Research 3 - Findings (5)

- Respondents agree 'woman can succeed in construction using their female skills without having to adopt a masculine approach': $MS = 3.27$

Research 3 - Findings (6)

Challenges faced by women in construction:

- Respondents disagree 'the power men assume over women makes them feel they can label women negatively': MS = 2.91
- Respondents agree 'to participate in construction takes great courage mainly because it is regarded as male terrain': MS = 3.09
- Respondents agree 'women have to face many challenges in order to get recognition which makes it difficult to penetrate and persevere in the male-dominated construction environment': MS = 3.55
- 81.8% - Women have made great strides in construction, but that the 'glass ceiling' is far from being shattered

Research 3 - Findings (7)

- **Extent factors constitute barriers to the advancement of women in construction: Male dominated work environment and culture was ranked first (3.55), followed by women representation in the industry's formal structures (3.36), male-biased construction education courses (3.18), construction's macho image (2.91), and sexist attitudes (2.73)**
- **Increasingly important that women cease thinking that they have to be similar to men in order to succeed as men do: MS = 3.82**
- **Agreement 'When it comes to succeeding in construction, the competition is tough especially when you are competing against your male-counterparts': MS = 3.82**

Research 3 - Findings (8)

Representivity of women in construction:

- Degree of concentration of women in unskilled, low-skilled, low paid jobs: MS = 3.18
- 100% - 'despite the increase in the number of women being employed in the construction industry, they still constitute only a very small percentage of the industry's workforce'
- Respondents agree 'The construction industry's boardrooms are sadly lacking in women': MS = 3.91

Conclusions – Research 1 (1)

- **Certain construction activities constitute more of an ergonomics problem than others**
- **Construction activities constitute more of an ergonomics problem to females than males**
- **Females find many work related aspects less suitable than males**
- **Welfare facilities are not deemed suitable by both females and males**
- **Certain activities / interventions would make females' and males' working lives easier, however, more so relative to females**

Conclusions – Research 2 (2)

- **Positive perceptions with respect to the role of women in the construction industry - respondents predominantly consultants and from management**
- **Construction projects a poor image**
- **Welfare facilities such as medical support and childcare are inadequate**
- **Women can be deemed to have ‘special’ personal hygiene issues / requirements**
- **Construction entails a large amount of manual handling**
- **Vertical movement of people requires attention**
- **Need to mechanise the industry.**
- **To realise enhanced participation by women in construction requires a paradigm shift and re-engineering**

Conclusions – Research 2 (3)

- **Construction needs to become more of a process industry (incorporating a high level of mechanisation and use of plant and equipment) than a craft industry**
- **Construction in general constitutes physical barriers to women**
- **Hygiene, sexual harassment, and respect issues impact on women more than on men**
- **Construction work environment does not meet the personal hygiene issues / requirements of women, women are likely to be sexually harassed on site, and women are not respected to the same extent that men are**

Conclusions – Research 3 (4)

- **Construction is still largely regarded as a male domain and that women are not taken seriously as professionals in construction**
- **Society, tradition, organisation culture, and sexist attitudes play a major role when appointing women in leadership positions**
- **Construction should not be male dominated because it is considered rough and tough, and women should be given a chance to prove themselves in the construction industry**
- **Commitment, dedication, acknowledgement, responsibility, confidence, and self-promotion have an impact on the core competencies of women in construction**

Conclusions – Research 3 (5)

- **Women are prepared to work harder in order to be successful if given a chance to prove themselves**
- **Women are perceived to do well in situations where they need to manage different projects all at once**
- **Women in managerial positions are perceived as more demanding than their male counterparts**
- **Women have the confidence to pursue and motivate themselves in the construction industry knowing that they can do the job and complete it successfully**
- **To participate in construction takes great courage mainly because it is regarded as male terrain**
- **Women have to face many challenges in order to gain recognition in the construction industry, which makes it difficult to penetrate and persevere in the male dominated environment**

Recommendations (Overall) (1)

- **An option for enabling women to enter the construction industry is for training to take place on site**
- **Mobile training units could train women in building skills**
- **Initiatives to engender more women in industries - job opportunities for women and pay parity with men**
- **Range of equality measures should comprise a mix of gender-specific initiatives aimed at improving women's careers in construction, and at addressing the barriers to women pursuing a career in construction**
- **Strategies aimed at mainstreaming women into construction**
- **Create a more equitable work environment through the development of cultural change**

Recommendations (Overall) (2)

- **Genuine commitment to the development of a more equitable industry from the highest level that women are likely to be able to develop their careers in parity with men**
- **Improve the industry's image to attract women graduates**
- **Organisations need to provide mentors for undergraduates and young graduates entering the construction industry**
- **Mentors should ideally be women who would also act as role models to women entering the industry - male mentors would help reduce some of the stereotypes of management through increased interaction with women recruits**

References (1)

- Agherdien, S. and Smallwood, J.J. 2013. Women in South African Construction, In: Proceedings of the CIB World Building Congress 2013, Brisbane, Australia, 5-9 May 2013, cibwbc2013_submission_462.pdf
- Davis, C. 2001. Pretoria Beeld. 18 October, p.1.
- English, J., Haupt, T.C., and Smallwood, J.J. 2006. Women, construction, and health and safety (H&S): South African and Tanzanian perspectives, Journal of Engineering, Design and Technology, 4(1), June, pp. 18-28.
- Frey, C. 1999. Randburg Sun. 8 January, p.1.

References (2)

- Gibbons, B. and Hecker, S. 1999. Participatory approach to ergonomic risk reduction: Case study of body harnesses for concrete work, In: Proceedings of the Second International Conference of CIB Working Commission W99 Implementation of Safety and Health on Construction Sites, Honolulu, Hawaii, 24-27 March, pp. 373-380.
- La Dou, J. 1994. Occupational Health and Safety. 2nd Edition. Itasca, Illinois: National Safety Council (NSC).
- Nesbitt, C. 1997. The Star, 27 August.
- Prinsloo, K. 1997. Beeld, 27 August, p.3.
- Schneider, S. and Susi, P. 1994. Ergonomics and Construction: A review of potential hazards in new construction. American Industrial Hygiene Association Journal. 55(7), pp. 635-649.

References (3)

- Safodien, M. 2001. The Star. 7 February, p.1.
- Smallwood, J.J. 1995a. The Influence of management on the occurrence of loss causative incidents in the South African construction industry. Unpublished MSc (Constr Man) Dissertation, University of Port Elizabeth, Port Elizabeth.
- Smallwood, J.J. 1997. Ergonomics in construction. ergonomics SA. 9(1), pp. 6-23.
- Smallwood, J.J. 2000. A study of the relationship between occupational health and safety, labour productivity and quality in the South African construction industry. Unpublished PhD (Constr Man) Thesis. University of Port Elizabeth, Port Elizabeth.
- Smallwood, J.J. 2002. Construction Ergonomics: General Contractor (GC) Perceptions. ergonomics SA. 14 (1), 8-18.

References (4)

- Smallwood, J.J. 2006a. Ergonomics in Construction: South African Perspectives, In: Proceedings of CIB W107 Construction in Developing Countries International Symposium on Construction in Developing Economies: New Issues and Challenges, Santiago, Chile, 18-20 January, D:\4.6.pdf
- Smallwood, J.J. 2006b. Wellness and performance on construction sites: Workers' perceptions, In: Proceedings of the 16th Triennial Congress of the International Ergonomics Association, Maastricht, The Netherlands, 10-14 July, D:\data\pdfs\art1069.pdf
- Smallwood, J.J., Deacon, C.H. and Venter, D.J.L. 2000. Ergonomics in construction: 'Workers' perceptions of strain. ergonomics SA. 12(1), 2-12.

References (5)

- Smallwood, J.J. and Haupt, T.C. 2009. Construction ergonomics: perspectives of female and male production workers, In: Volume 2, Proceedings of the 25th Annual ARCOM Conference, Nottingham, United Kingdom, 7-9 September, pp. 1263-1272.
- Taylor, G., Easter, K. and Hegney, R. 1998. Enhancing Safety An Australian Workplace Primer. Second Edition. Perth: Training Publications.
- Travers, R. 1998. Lowvelder, 10 July, p.1.
- Woudhuysen, J. and Abley, I. 2004. Why is construction so backward? Chichester. Sussex: Wiley-Academy.